



MANUFACTURER

Muraflo
844-MUR-AFLO (687-2356)
<https://www.muraflo.com>

DESCRIPTION

Fully finished, prefabricated shower tray that combines a structural base, with tile, mosaic, grout, and integrated drain.

COLORS & FINISHES (see page 2)

Castaway Collection is available in 10 colors. Each color combines sliced pebble mosaic with porcelain curb tile, rounded curb trim, and grout.

STRUCTURAL BASE

Lightweight, one-piece, composite core. Waterproof and sealed on all surfaces. Integral 1¼” flange that extends over the curb. Drain bonded into tray.

PACKAGING

Cardboard box with internal floating system comprised of foam inserts.


WEIGHT

(BASE WITH FINISH MATERIALS)

55 - 85 lbs.
(Weight is nominal and varies per tray size.)



STANDARD SIZES WITH DRAIN PLACEMENT

		Width (W) in			
		36	42	48	60
Depth (D) in	30				X = 30 Y = 14
	32			X = 24 Y = 15	X = 30 Y = 15
	34			X = 24 Y = 16	X = 30 Y = 16
	36	X = 18 Y = 17		X = 24 Y = 17	X = 30 Y = 17
	42		X = 21 Y = 20		



Tolerances: W = +/-1/8"; D = + curb tile thickness; X = +/-1/8"; Y = +/-1/8"

CROSS SECTION



Drain fitting protrudes a nominal ½” beneath the underside of the tray. The protrusion has a nominal radius of 3½”.

Tile and mosaic placement has a +/-3/32” tolerance in all directions.



MURAFLO

PRODUCT: SHOWER TRAY w/CURB – ALL SIZES
COLLECTION: CASTAWAY – ALL COLORS

CASTAWAY COLLECTION – ALL COLORS



White Sands



Pebble Beach



Marble Stream



Driftwood



Seafoam



Shoreline



Turquoise Wave



Riverbed



Fossil Blue



Ocean Depths



CODES & STANDARDS

Muraflo shower trays comply with the following codes:

- 2009 – 2021 International Residential Code (IRC)
- 2009 – 2021 International Plumbing Code (IPC)
- 2009 – 2021 Uniform Plumbing Code (IPC)
- 2016 – 2018 California Plumbing Code (CPC)
- 2017 – 2020 City of Los Angeles Plumbing Code

Muraflo shower trays are certified to the following standard:

- IAPMO PS 106-2015e1,
Tileable Shower Receptors & Shower Kits

Tested by RADCO Listing & Testing Division

FINISH MATERIAL DATA

* Finish materials are provided by third-party suppliers

Finish	Material	Standards / Codes
Mosaic*	Sliced pebble (10 colors)	N/A - natural pebble, machine cut to create a flat surface.
Curb Tile*	Glazed porcelain (4 colors)	Meets ANSI A137.1:2022 Standard Specifications for Ceramic Tile. In accordance with ASTM C648, ASTM C373.
Curb Profile*	Anodized aluminum round edge trim (1 color)	N/A.
Grout*	High performance, polymer modified (9 colors)	Exceeds ANSI A118.7 Specifications for Ceramic Tile Grouts, Polymer-modified Cement Grout. Meets the listed ANSI A118.3 Specifications for Epoxy Grouts. ISO 13007: Classification CG2WAF.
Drain*	No-caulk, top-connect, shower module drain, with circular stainless steel strainer	Complies with: Uniform Plumbing Code (UPC); International Plumbing Code (IPC); National Plumbing Code (Canada). Certified to standards: ASME A112.18.2-2020/CSA B125.2-20.

DISCLAIMERS:

Natural stone mosaic, including pebble, has variations in size, shape, color, shade, pattern, and placement.

Ceramic tile, including porcelain, has variations according to dye lot & caliber.

Grout has variations in color.

Finishes on products will vary from samples and display models.

INSTALLATION

As per owner manual and installation films:
<https://www.muraflo.com/installation-films>

CARE AND MAINTENANCE

As per owner manual.

INSTALLATION / USER RISKS

As per owner manual.

LIMITED WARRANTY

Three-year limited warranty, as per owner manual.